



2030 Osage County Comprehensive Plan



Legend


- County Boundary
- Cities and Towns
- Highways
- Lakes and Ponds
- Major Soil Formations**
- Agra silt loam, 1 to 3 percent slopes; Agra silt loam, 3 to 5 percent slopes; Agra-Ashport complex, 1 to 3 percent slopes; Agra-Foraker complex, 3 to 5 percent slopes; Agra-Pharoah complex, 1 to 5 percent slopes
- Apperson silty clay loam, 1 to 3 percent slopes; Apperson-Doolin complex, 0 to 3 percent slopes
- Ashport, port, pulaski soils, 0 to 1 percent slopes, occasionally flooded
- Barnsdall very fine sandy loam, 0 to 1 percent slopes, rarely flooded
- Bartlesville-Bigheart complex, 1 to 5 percent slopes, very rocky
- Bethany silt loam, 1 to 3 percent slopes; Bethany silt loam, 3 to 5 percent slopes; Bethany-Pawhuska complex, 1 to 5 percent slopes
- Bigheart-Niotaze-Rock outcrop complex, 1 to 8 percent slopes
- Braman silt loam, 0 to 1 percent slopes, rarely flooded; Braman silt loam, 1 to 3 percent slopes, rarely flooded; Braman-Drummond complex, 0 to 1 percent slopes, rarely flooded
- Catoosa-Shidler-Lula complex, 1 to 3 percent slopes
- Coweta-Urban land-Eram complex, 3 to 12 percent slopes
- Coyle loam, 1 to 3 percent slopes; Coyle loam, 3 to 5 percent slopes; Coyle-Lucien complex, 3 to 12 percent slopes
- Dougherty loamy fine sand, 1 to 3 percent slopes; Dougherty loamy fine sand, 3 to 8 percent slopes
- Eufaula loamy fine sand, 3 to 15 percent slopes; Eufaula-Dougherty complex, 0 to 3 percent slopes
- Foraker clay loam, 5 to 8 percent slopes; Foraker-Shidler complex, 12 to 25 percent slopes
- Gaddy fine sandy loam, 0 to 1 percent slopes, occasionally flooded; Gaddy loamy fine sand, 0 to 1 percent slopes, frequently flooded; Gaddy loamy fine sand, 0 to 1 percent slopes, occasionally flooded
- Grainola-Shidler complex, 12 to 25 percent slopes
- Harrah fine sandy loam, 3 to 5 percent slopes
- Kamie-Urban land complex, 1 to 8 percent slopes
- Keokuk very fine sandy loam, 0 to 1 percent slopes, occasionally flooded
- Konawa loamy fine sand, 3 to 8 percent slopes, eroded
- Large dam
- Lightning silt loam, 0 to 1 percent slopes, occasionally flooded
- Lucien-Coyle complex, 3 to 8 percent slopes
- Lula silt loam, 1 to 3 percent slopes
- Minco silt loam, 5 to 8 percent slopes
- Miscellaneous water
- Niotaze-Bigheart-Rock outcrop complex, 15 to 25 percent slopes, extremely stony; Niotaze-Bigheart-Rock outcrop complex, 25 to 45 percent slopes, rubbly; Niotaze-Bigheart-Rock outcrop complex, 3 to 15 percent slopes, very stony
- Norge silt loam, 1 to 3 percent slopes; Norge silt loam, 3 to 5 percent slopes, eroded; Norge silt loam, 5 to 8 percent slopes; Norge, Agra, and Prue soils, 3 to 8 percent slopes, gullied; Norge-Pawhuska complex, 1 to 5 percent slopes
- Oil waste land-Huska complex, 1 to 8 percent slopes
- Okemah silt loam, 0 to 1 percent slopes
- Osage silty clay, 0 to 1 percent slopes, occasionally flooded
- Parsons silt loam, 0 to 1 percent slopes; Parsons silt loam, 1 to 3 percent slopes; Parsons-Pharoah complex, 0 to 3 percent slopes
- Pits
- Pocasset fine sandy loam, 0 to 1 percent slopes, occasionally flooded; Pocasset fine sandy loam, 1 to 3 percent slopes, occasionally flooded
- Prue loam, 3 to 5 percent slopes
- Shidler silty clay loam, 1 to 5 percent slopes
- Steedman silt loam, 1 to 3 percent slopes; Steedman silt loam, 3 to 5 percent slopes; Steedman-Lucien complex, 15 to 25 percent slopes; Steedman-Lucien complex, 3 to 15 percent slopes
- Teller loam, 3 to 5 percent slopes
- Urban land-Dennis complex, 0 to 5 percent slopes
- Ustibuck silty clay loam, 0 to 1 percent slopes, occasionally flooded
- Vanoss silt loam, 0 to 1 percent slopes; Vanoss silt loam, 1 to 3 percent slopes
- Verdigris silt loam, 0 to 1 percent slopes, frequently flooded; Verdigris silt loam, 0 to 1 percent slopes, occasionally flooded
- Water
- Westsum silty clay loam, 3 to 5 percent slopes; Westsum-Shidler-Apperson complex, 3 to 12 percent slopes
- Woico silty clay loam, 1 to 3 percent slopes; Woico-Dwight complex, 0 to 3 percent slopes
- Wynona silty clay loam, 0 to 1 percent slopes, occasionally flooded; Wynona-Urban land complex, 0 to 1 percent slopes, occasionally flooded

Major Soil Formations



INCOG
www.incog.org

Source: Natural Resources Conservation Service, SSURGO Soil Data



USE OF THIS INFORMATION: This map is provided as a public resource for general information only. Although every effort has been made to produce the most current, correct and clearly expressed data possible, all geographic information has limitations due to scale, resolution, date and interpretation of the original source materials. The information on this map is collected from various sources and that can change over time without notice. Therefore, the information provided is not intended to replace any official source. You should not act or refrain from acting based upon information on this map without independently verifying the information and, if necessary, obtaining professional advice. The burden of determining the accuracy, completeness, timeliness of information rests solely on the user. Copyright © 2010 INCOG